

Fishery Conservation and Management

§ 660.513

new harvest quotas is announced under § 662.509.

(3) The non-reduction fishery in the PAFA ceases on the date that a total harvest quota closure is announced under paragraph (c)(1) of this section, and will not resume until a new harvest quota is announced under § 660.509.

§ 660.511 Fishing seasons.

All open seasons will begin at 0001 hours and terminate at 2400 hours local time. The PAFA is closed to anchovy fishing except as follows:

(a) *Non-reduction fishing season.* The open season for non-reduction fishing in the PAFA is from August 1 to July 31.

(b) *Reduction fishing season.* (1) In subarea A, the open season for reduction fishing in the PAFA is from August 1 to June 30.

(2) In subarea B, the open season for reduction fishing in the PAFA is from September 15 to June 30.

§ 660.512 Closed areas.

(a) *Non-reduction fishery.* There are no closed areas for non-reduction fishing in the PAFA.

(b) *Reduction fishery.* The following areas are closed to reduction fishing:

(1) *Farallon Islands closure* (see Figure 1). The portion of subarea A bounded by—

(i) A straight line joining Pigeon Point Light (37°10.9' N. lat., 122°23.6' W. long.) and the U.S. navigation light on Southeast Farallon Island (37°42.0' N. lat., 123°00.1' W. long.).

(ii) A straight line joining the U.S. navigation light on Southeast Farallon Island (37°42.0' N. lat., 123°00.1' W. long.) and the U.S. navigation light on Point Reyes (37°59.7' N. lat., 123°01.3' W. long.).

(2) *Subarea B closures.* That portion of subarea B described as—

(i) *Oxnard closure* (see Figure 1). The area that extends offshore four (4) miles (7.41 km) from the mainland shore between lines running 250° true from the steam plant stack at

Manadalay Beach (34°12.4' N. lat., 119°15.0' W. long.) and 220° true from the steam plant stack at Ormond Beach (34°07.8' N. lat., 119°10.0' W. long.).

(ii) *Santa Monica Bay closure* (see Figure 1). Santa Monica Bay shoreward of that line from Malibu Point (34°01.8' N. lat., 188°40.8' W. long.) to Rocky Point (Palos Verdes Point) (33°46.5' N. lat., 118°25.7' W. long.).

(iii) *Los Angeles Harbor closure* (see Figure 1). The area outside Los Angeles Harbor described by a line extending six (6) miles (11.11 km) 180° true from Point Fermin (33°42.3' N. lat., 118°17.6' W. long.) and then to a point located three (3) miles (5.56 km) offshore on a line 225° true from Huntington Beach Pier (33°39.2' N. lat., 118°00.3' W. long.).

(iv) *Oceanside to San Diego closure* (see Figure 1). The area six (6) miles (11.11 km) from the mainland shore south of a line running 225° true from the tip of the outer breakwater (33°12.4' N. lat., 117°24.1' W. long.) of Oceanside Harbor to the United States-Mexico International Boundary.

§ 660.513 Gear limitations.

(a) *Nonreduction fishery.* There are no limitations on gear used in the non-reduction fishery.

(b) *Reduction fishery.* Authorized fishing gear only may be used in the reduction fishery. Authorized fishing gear will be round haul nets that have a minimum wet-stretch mesh size of 10/16 of an inch (1.59 cm) excluding the bag portion of a purse seine. The bag portion must be constructed as a single unit and must not exceed a rectangular area adjacent to 20 percent of the total corkline of the purse seine. Minimum mesh size requirements are met if a stainless steel wedge can be passed with only thumb pressure through 16 of 20 sets of two meshes each of wet mesh. The wedges used to measure trawl mesh size are made of 20 gauge stainless steel, and will be no wider than 10/16 of an inch (1.59 cm) less one thickness of the metal at the widest part.




FIGURE 1—EXISTING CALIFORNIA AREA CLOSURES (HATCHED AREAS EXTEND TO 3 MILES (5.56 KM) OFFSHORE; CROSS-HATCHED AREAS EXTEND BEYOND 3 MILES (5.56 KM) OFFSHORE) AND OPTIONAL CATALINA CHANNEL FOREIGN VESSEL CLOSURE (OUTLINED BY DASHED LINES)

TABLE 1 TO PART 660.—QUOTAS FOR PRECIOUS CORALS PERMIT AREAS

Name of coral bed	Type of bed	Harvest quota	Number of years	Gear restriction
Makapuu	E	P—2,000 kg	2	S
		G—600 kg	2	S
		B—600 kg	2	S
Ke-ahole Point	C	P—67 kg	1	S
		G—20 kg	1	S
		B—17 kg	1	S
Kaena Point	C	P—67 kg	1	S
		G—20 kg	1	S
		B—17 kg	1	S
Brooks Bank	C	P—17 kg	1	N
		G—133 kg	1	N
		B—111 kg	1	N
180 Fathom Bank	C	P—222 kg	1	N
		G—67 kg	1	N
		B—56 kg	1	N
Westpac Bed	R	Zero (0 kg)
Hawaii, American Samoa, Guam, U.S. Pacific Island possessions.		X—1,000 kg (all species combined except black corals) per area.	1	N

Notes:

1. Types of corals: P=Pink G=Gold B=Bamboo.

Fishery Conservation and Management

Pt. 660, Table 2

2. There are no restrictions under this part on the harvest of black corals, except the data submission requirements (§ 660.3). State regulations on black coral harvesting are not superseded by this part.

3. Only $\frac{1}{5}$ of the indicated amount is allowed if nonselective gear is used; that is, the nonselective harvest will be multiplied by 5 and counted against the quota. If both selective and nonselective methods are used, the bed will be closed when $S+5N=Q$, where S=selective harvest amount, N=nonselective harvest amount and Q=total harvest quota, for any single species on that bed.

4. Only selective gear may be used in the EEZ seaward of the main Hawaiian Islands; i.e., south and east of a line midway between Nihoa and Niihau Islands. Nonselective gear or selective gear may be used in all other portions of exploratory areas.

5. S=Selective gear only; N=Nonselective or selective gear.

6. No authorized fishing for coral in refugia.

TABLE 2 TO PART 660.—VESSEL CAPACITY RATINGS FOR WEST COAST GROUNDFISH LIMITED ENTRY PERMITS

Vessel length	Capacity rating
<20	1.00
21	1.13
22	1.27
23	1.42
24	1.58
25	1.75
26	1.93
27	2.12
28	2.32
29	2.53
30	2.76
31	2.99
32	3.24
33	3.50
34	3.77
35	4.05
36	4.35
37	4.66
38	4.98
39	5.31
40	5.66
41	6.02
42	6.39
43	6.78
44	7.18
45	7.59
46	8.02
47	8.47
48	8.92
49	9.40
50	9.88
51	10.38
52	10.90
53	11.43
54	11.98
55	12.54
56	13.12
57	13.71
58	14.32
59	14.95
60	15.59
61	16.25
62	16.92
63	17.61
64	18.32
65	19.04
66	19.78
67	20.54
68	21.32
69	22.11
70	22.92
71	23.74
72	24.59
73	25.45
74	26.33
75	27.23
76	28.15
77	29.08

TABLE 2 TO PART 660.—VESSEL CAPACITY RATINGS FOR WEST COAST GROUNDFISH LIMITED ENTRY PERMITS—Continued

Vessel length	Capacity rating
78	30.04
79	31.01
80	32.00
81	33.01
82	34.04
83	35.08
84	36.15
85	37.24
86	38.34
87	39.47
88	40.61
89	41.77
90	42.96
91	44.16
92	45.38
93	46.63
94	47.89
95	49.17
96	50.48
97	51.80
98	53.15
99	54.51
100	55.90
101	57.31
102	58.74
103	60.19
104	61.66
105	63.15
106	64.67
107	66.20
108	67.76
109	69.34
110	70.94
111	72.57
112	74.21
113	75.88
114	77.57
115	79.28
116	81.02
117	82.77
118	84.55
119	86.36
120	88.18
121	90.03
122	91.90
123	93.80
124	95.72
125	97.66
126	99.62
127	101.61
128	103.62
129	105.66
130	107.72
131	109.80
132	111.91
133	114.04
134	116.20
135	118.38

Pt. 660, Table 2

TABLE 2 TO PART 660.—VESSEL CAPACITY RATINGS FOR WEST COAST GROUNDFISH LIMITED ENTRY PERMITS—Continued

Vessel length	Capacity rating
136	120.58
137	122.81
138	125.06
139	127.34
140	129.64
141	131.97
142	134.32
143	136.70
144	139.10
145	141.53
146	143.98
147	146.46
148	148.96
149	151.49
150	154.05
151	154.68
152	155.31
153	155.94
154	156.57
155	157.20
156	157.83
157	158.46
158	159.10
159	159.73
160	160.36
161	160.99
162	161.62
163	162.25
164	162.88
165	163.51
166	164.14
167	164.77
168	165.41
169	166.04
170	166.67
171	167.30
172	167.93
173	168.56
174	169.19
175	169.82
176	170.45
177	171.08
178	171.72
179	172.35
180	172.98
181	173.61
182	174.24
183	174.87
184	175.50
185	176.13
186	176.76
187	177.40
188	178.03
189	178.66
190	179.29
191	179.92
192	180.55
193	181.18
194	181.81
195	182.44
196	183.07
197	183.71
198	184.34
199	184.97
200	185.60
201	186.23
202	186.86
203	187.49
204	188.12

50 CFR Ch. VI (10-1-98 Edition)

TABLE 2 TO PART 660.—VESSEL CAPACITY RATINGS FOR WEST COAST GROUNDFISH LIMITED ENTRY PERMITS—Continued

Vessel length	Capacity rating
205	188.75
206	189.38
207	190.02
208	190.65
209	191.28
210	191.91
211	192.54
212	193.17
213	193.80
214	194.43
215	195.06
216	195.69
217	196.33
218	196.96
219	197.59
220	198.22
221	198.85
222	199.48
223	200.11
224	200.74
225	201.37
226	202.01
227	202.64
228	203.27
229	203.90
230	204.53
231	205.16
232	205.79
233	206.42
234	207.05
235	207.68
236	208.32
237	208.95
238	209.58
239	210.21
240	210.84
241	211.47
242	212.10
243	212.73
244	213.36
245	213.99
246	214.63
247	215.26
248	215.89
249	216.52
250	217.15
251	217.78
252	218.41
253	219.04
254	219.67
255	220.30
256	220.94
257	221.57
258	222.20
259	222.83
260	223.46
261	224.09
262	224.72
263	225.35
264	225.98
265	226.61
266	227.25
267	227.88
268	228.51
269	229.14
270	229.77
271	230.40
272	231.03
273	231.66

Fishery Conservation and Management

Pt. 660, Table 2


TABLE 2 TO PART 660.—VESSEL CAPACITY RATINGS FOR WEST COAST GROUNDFISH LIMITED ENTRY PERMITS—Continued

Vessel length	Capacity rating
274	232.29
275	232.93
276	233.56
277	234.19
278	234.82
279	235.45
280	236.08
281	236.71
282	237.34
283	237.97
284	238.60
285	239.24
286	239.87
287	240.50
288	241.13
289	241.76
290	242.39
291	243.02
292	243.65
293	244.28
294	244.91
295	245.55
296	246.18
297	246.81
298	247.44
299	248.07
300	248.70
301	249.33
302	249.96
303	250.59
304	251.22
305	251.86
306	252.49
307	253.12
308	253.75
309	254.38
310	255.01
311	255.64
312	256.27
313	256.90
314	257.54
315	258.17
316	258.80
317	259.43
318	260.06
319	260.69
320	261.32
321	261.95
322	262.58
323	263.21
324	263.85
325	264.48
326	265.11
327	265.74
328	266.37
329	267.00
330	267.63
331	268.26
332	268.89
333	269.52
334	270.16
335	270.79
336	271.42
337	272.05

TABLE 2 TO PART 660.—VESSEL CAPACITY RATINGS FOR WEST COAST GROUNDFISH LIMITED ENTRY PERMITS—Continued


Vessel length	Capacity rating
338	272.68
339	273.31
340	273.94
341	274.57
342	275.20
343	275.83
344	276.47
345	277.10
346	277.73
347	278.36
348	278.99
349	279.62
350	280.25
351	280.88
352	281.51
353	282.14
354	282.78
355	283.41
356	284.04
357	284.67
358	285.30
359	285.93
360	286.56
361	287.19
362	287.82
363	288.46
364	289.09
365	289.72
366	290.35
367	290.98
368	291.61
369	292.24
370	292.87
371	293.50
372	294.13
373	294.77
374	295.40
375	296.03
376	296.66
377	297.29
378	297.92
379	298.55
380	299.18
381	299.81
382	300.44
383	301.08
384	301.71
385	302.34
386	302.97
387	303.60
388	304.23
389	304.86
390	305.49
391	306.12
392	306.75
393	307.39
394	308.02
395	308.65
396	309.28
397	309.91
398	310.54
399	311.17
>400	311.80

FIGURE 1 to Part 660—Carapace Length of Lobsters




Carapace Length of Lobsters

FIGURE 2 to Part 660—Length of Longline Vessel



Length of Longline Vessel

FIGURE 3 TO PART 660—DRESSED, HEAD-OFF LENGTH OF SALMON



Dressed, Head-off Length of Salmon